

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20080055158"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:33
L2	1	"20050201415" and ("MAC"with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:36
L3	9007	Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:37
L4	334	(network\$3 near5 manag\$5 ) and Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:37
L5	682	(network\$3 near5 (manag\$5 monitor\$3)) and Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:38
L6	58	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:39
L7	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) same SNMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:40

L8	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) and SNMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:48
L9	5	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) same analy \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:54
L10	18	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) same (information data )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:57
L11	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) same (traffic folw )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:57
L12	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) same (traffic flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:58
L13	0	(1 2) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 07:10

L14	1	(1 2) and (Kalman near10 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 07:10
S2	689	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5)same protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:47
S3	638	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5)same ((SNMP) or (ICMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:48
S4	622	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:49
S5	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) same ((analys \$3 collect\$3 manag\$5) near10 (Kalman adj4 filter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:54
S6	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and ((analys\$3 collect\$3 manag\$5) near10 (Kalman adj4 filter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:54
S7	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:56

S8	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:38
S9	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:38
S10	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 near20 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:40
S11	5	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) same (access \$3 near20 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:40
S12	7064	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:10
S13	277	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:11
S14	133	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14

S15	12308	((((media near5 control "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14
S16	2	((((media near5 control "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) and kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14
S17	2	((((media near5 control "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) and (kalman near5 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:15
S18	19	((((media near5 control "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 07:43
S19	1	((((media near5 control "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) same filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 07:44
S21	1	"20080055158" and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 08:16

S22	1	"20080055158" and (filter\$3 adj3 kalman)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:04
S23	1	"20080055158" and ( kalman)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:07
S24	1	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:34
S25	2	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:35
S26	0	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and (MAC adj5 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:42
S27	0	((((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and ("MAC" adj5 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:43

S28	13	((media near5 control "MAC" near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and ("MAC"with filter \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:43
S30	1	"20050201415" and ("MAC" with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:44
S31	1	"20050201415" and ("MAC" with filter\$3) and ((internet web) near5 flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:01
S32	0	("20080055158" "20050201415") and (protocol adj4 stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:06
S33	0	("20080055158" "20050201415") and (protocolwith stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S34	0	("20080055158" "20050201415") and (protocol with stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S35	0	("20080055158" "20050201415") and ( stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S36	1	("20080055158" "20050201415") and (protocol same layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07

S37	1	("20080055158" "20050201415") and (protocol with layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:08
S38	1	("20080055158" "20050201415") and (tcp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:38
S39	0	("20080055158" "20050201415") and (processor same utilization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S40	0	("20080055158" "20050201415") and ((processor memory link buffer port) same utilization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S41	2	("20080055158" "20050201415") and ((processor memory link buffer port) same utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S42	3	("20080055158" "20050201415") and ((processor memory link buffer port) nea5 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S43	1	("20080055158" "20050201415") and ((processor memory link buffer port) near5 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:43
S44	1	("20080055158" "20050201415") and ((processor memory link buffer port) near5 ( measur\$5 monitor \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:44



S45	1	("20080055158" "20050201415") and (frame with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:46
S46	1	("20080055158" "20050201415") and (rate near30 transmi \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:48
S47	0	("20080055158" "20050201415") and (roel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S48	0	("20080055158" "20050201415") and (role)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S49	3	("20080055158" "20050201415") and (hub switch rout23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S50	3	("20080055158" "20050201415") and (hub switch rout23) near30 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S51	1	("20080055158" "20050201415") and (hub switch rout23) near30 network near20 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S52	3	("20080055158" "20050201415") and (hub switch rout23) near20 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51

S53	4714199	("20080055158" "20050201415") and (hub switch rout23) near20 device function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S54	0	("20080055158" "20050201415") and (hub switch rout23) near20 device same function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S55	0	("20080055158" "20050201415") and (hub switch rout23) near20 device same purpose	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S56	1	("20080055158" "20050201415") and (agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:02
S57	2	("20080055158" "20050201415") and (agent macro module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:03
S58	1	("20080055158" "20050201415") and (agent macro )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:03

5/ 11/ 09 8:37:38 AM

C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10792325sept08.  
wsp